
10067 Playing with Wheels

In this problem we will be considering a game played with four wheels. Digits ranging from 0 to 9 are printed consecutively (clockwise) on the periphery of each wheel. The topmost digits of the wheels form a four-digit integer. For example, in the following figure the wheels form the integer 8056. Each wheel has two buttons associated with it. Pressing the button marked with a *left arrow* rotates the wheel one digit in the clockwise direction and pressing the one marked with the *right arrow* rotates it by one digit in the opposite direction.



The game starts with an initial configuration of the wheels. Say, in the initial configuration the topmost digits form the integer $S_1S_2S_3S_4$. You will be given some (say, n) forbidden configurations $F_{i_1}F_{i_2}F_{i_3}F_{i_4}$ ($1 \le i \le n$) and a target configuration $T_1T_2T_3T_4$. Your job will be to write a program that can calculate the minimum number of button presses required to transform the initial configuration to the target configuration by never passing through a forbidden one.

Input

The first line of the input contains an integer N giving the number of test cases to follow.

The first line of each test case contains the initial configuration of the wheels specified by 4 digits. Two consecutive digits are separated by a space. The next line contains the target configuration. The third line contains an integer n giving the number of forbidden configurations. Each of the following n lines contains a forbidden configuration. There is a blank line between two consecutive input sets.

Output

For each test case in the input print a line containing the minimum number of button presses required. If the target configuration is not reachable then print '-1'.

Sample Input

8	0	5	7	
8	0	4	7	
5	5	0	8	
7	5	0	8	
6	4	0	8	
0	0	0	0	
5	3	1	7	
8				
0	0	0	1	
0	0	0	9	
0	0	1	0	
0	0	9	0	
0		~	~	
~	1	0	0	
	1 9			
0		0	0	

Sample Output

14

-1